



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

647.3917

Job Sheet 171201



Part No: 647.3917

Job Qty: 8 ea

Part Name: Doubler



Part Weight: 0 lbs

Status: Scheduled

Priority: Medium

Job Created: 1/30/18

Job Tracking No:

Due Date: 2/28/18

Created By: Michelle Gagnon-Donovan

Type: Stock

Description:

Note: DWG REV C2 SHEETS 1,12 IPP REV:A 14.12.03 NEW ISSUE DD VERF:JLM

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup hrs	Run Hrs	Workcenter / Supplier	Lead Time	
90	Start up Operation	8 Ea	2/27/18	2/27/18	0.00	0.00	Start Up Waterjet		DE 18/02/12
110	Waterjet	8 pcs	2/28/18	2/28/18	0.00	0.79	Waterjet1		DE 15/02/12
120	QC	8 pcs	2/28/18	2/28/18	0.00	0.00	QC2 Waterjet-1		DE 18/02/12
130	QC	8 pcs	2/28/18	2/28/18	0.00	0.00	QC8-1		DE 18/02/12
140	Outsource	8 pcs	2/28/18	2/28/18	0.00	0.00	Outsource4		AT 18/03/01
150	Packaging	8 pcs	2/28/18	2/28/18	0.00	0.00	Packaging2		AT 18/03/01
160	QC	8 pcs	2/28/18	2/28/18	0.00	0.00	QC5		DE 18/03/01
190	Packaging	8 pcs	2/28/18	2/28/18	0.00	0.00	Packaging3-1		DE 18/03/01
200	QC21-SA	8 Ea	2/28/18	2/28/18	0.00	0.00	QC21		DE 18/03/01

Part Op 110 - 1-Cut as per Dwg Dwg Rev: _____ Prog Rev: _____ 2-Deburr if necessary
 Descriptions: 140 - Issue P/O to ATG : 039040 AS PER MPP-172 SECTION 2.1, HARD ANODIZE COLOR BLACK, PER IAW MIL-A-8625 TYPE 3 CLASS 2 AS PER MPP-172 SECTION 4.2, PRIME AS PER IAW MIL-PRF-23377 TYPE 1 CLASS N
 190 - ***IDENTIFY AS PER APICAL MPP-120 BY STAMPING P# AND REV***

FEB 14 2018


Job BOM

Part / Item	Component Name	Quantity	Operation	Container
M2024T3S.090	2024-T3 .090 Sheet	.3472 sf (.0434 ea)	90-Start up Operation	

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
90-Start up Operation	M2024T3S.090	0	38	0

DART
AEROSPACE
S041420



Doubler

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K64 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

PART NO: 647.3917
Original Serial #: S041420
Revision:
Operation:
Change No:

Start up Operation

02/12/18
Job No: 171201

Part Specifications					
Spec No	Description	Target/Tolerance	Limits	Type	Special Comments
1	Doubler	0.196inches + 0.005 - 0.001	0.201 0.195	diameter	
2	Doubler	0.625inches ± 0.010	0.635 0.615		
3	Doubler	0.500inches ± 0.010	0.510 0.490		
4	Doubler	2.000inches ± 0.010	2.010 1.990		
5	Doubler	3.500inches ± 0.010	3.510 3.490		
6	Doubler	6.500inches ± 0.010	6.510 6.490		
7	Doubler	8.000inches ± 0.010	8.010 7.990		
8	Doubler	9.500inches ± 0.010	9.510 9.490		
9	Doubler	10.000inches ± 0.010	10.010 9.990		
10	Doubler	0.090inches ± 0.010	0.100 0.080		

Plex 1/31/18 9:57 AM Dart.Gagnon.Michelle



APICAL INDUSTRIES, INC.
dba DART AEROSPACE

TRANSACTION CODES (TC):
A-ADD C-CREATE
R-REVISE D-DELETE

ENGINEERING CHANGE NOTICE NO. 04948

SHEET 1 OF 2

DWG NO. 647.3900

REV: C

PREPARED BY: M. ANDECK

DATE: 05/04/15

EFFECT ON DWG
☐ INC. ☒ UNINC.

DWG TITLE: DEFLECTORS

APPROVED BY:

ENGR

Bravo

MFG

Dan Pad

QC

[Signature]

EFF:

CURRENT ORDER

ECR:

D-15-01

REASON: REVISED TOLERANCE AND NOTES

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 171201 *me*


JAN 31 2018

SHEET 1, ZONE B1 IS:

NOTES:

- 1 MATERIAL: ALUMINUM 7075-T651 PER AMS-QQ-A-250/12.
- 2 FINISH: HARD ANODIZE IAW MIL-A-8625 TYPE III, CLASS 2, COLOR BLACK;
3. DEBURR AND BREAK ALL SHARP EDGES.
4. IDENTIFY IAW MPP-120.
- 5 APPLY F/N 3 AS REQUIRED TO ALL FAYING SURFACES OF F/N 6, 7 & 8 UPON ASSY.
- 6 MAXIMUM OR MINIMUM DIMENSION AFTER FINISH.
7. .0625 HOLE MAY BE ADDED FOR FINISHING PURPOSES
- 8 FINISH: PRETREAT PR-148 ADHESION PROMOTER, PRIME IAW MIL-P-23377J, TYPE I, CLASS N; 1-2 MIL MAX. APPLY FINISH AFTER ASSEMBLY.
- 9 FINISH: PRETREAT PR-148 ADHESION PROMOTER, PRIME IAW MIL-P-23377J, TYPE I, CLASS N; 1-2 MIL MAX.
- 10 MATERIAL: ALUMINUM 2024-T3 PER AMS-QQ-A-250/4.

11	R	647.3917	2				DOUBLER		
F/N	TC	PART NUMBER	.3903	.3902	.3901		DESCRIPTION	MATERIAL	SPECIFICATION
			QTY						
DOCUMENTS EFFECTED:							CHANGE CATEGORY	DER REVIEW REQUIRED	
☐ PATTERN ☐ MDL ☐ INSTALL INSTRUC ☐ ICA ☒ BOM							☐ MAJOR ☒ MINOR	☐ YES ☒ NO	




SECTION AT-AT


SHEET 11, ZONE C1 IS:

APICAL INDUSTRIES, INC.	ENGINEERING CHANGE NOTICE NO. 04556		SHEET 1 OF 2	
	DWG NO. 647.3900	REV: C	PREPARED BY D. MEJIA	DATE: 06/10/2014
	DWG TITLE: DEFLECTORS			
	APPROVED BY: ENGR <i>[Signature]</i>	MFG <i>[Signature]</i>	QC <i>[Signature]</i>	EFF. NEXT ORDER
TRANSACTION CODES (TC): A-ADD C-CREATE R-REVISE D-DELETE	REASON: CHANGED P/N, DIMENSIONS & REVISED BOM			ECR: D-14-04

SHEET 5, ZONE C6 IS:




SHEET 6, ZONE C6 IS:



SHEET 1, BOM IS:

11	R	647.3917	2		DOUBLER		
F/N	TC	PART NUMBER	QTY		DESCRIPTION	MATERIAL	SPECIFICATION
		3903	3902	3901			
DOCUMENTS EFFECTED:						CHANGE CATEGORY	
☐ MDL ☐ INSTALL INSTRUCTIONS ☐ ICA ☐ FMS ☒ BOM						☐ MAJOR ☒ MINOR	
						DER REVIEW REQUIRED	
						☐ YES ☒ NO	

SHEET 12, ZONE B5 IS:

NOTES:

- A

8

C

D

UNINCORPORATED ECN(S)

04556, 04948,

6				12	601.3072	RIVET		CR3213-6-9	
2				11	647.3917	DOUBLER			
1				10	647.3916	DEFLECTOR, UPPER HALF	△		△
1				9	647.3915	DEFLECTOR, LOWER HALF	△		△
	1			8	647.3914	BREAKAWAY TIP LONG	△		△△
		1		7	647.3913	BREAKAWAY TIP MEDIUM	△		△△△
		1	1	6	647.3912	LOWER DEFLECTOR	△		△△
				5	647.3911	212 UPPER DEFLECTOR	△		△△
				4	647.3910	412 UPPER DEFLECTOR	△		△△
A/R	A/R	A/R		3	601.2045	RTV, LOCITIE 598			△
	3	2		2	601.3074	RIVET		M52047AD 6-12	
				1		DELETED			
X					647.3903	DEFLECTOR ASSY			△
	X				647.3902	LOWER DEFLECTOR ASSY HIGH			
		X			647.3901	LOWER DEFLECTOR ASSY LOW			
.3903	.3902	.3901	FIND #		PART #	DESCRIPTION		MAT'L	SPEC
QTY				PARTS LIST					
NEXT ASSY (5)				APICAL INDUSTRIES					
647.3800				2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5300					
				DEFLECTORS					
				SEE CAGE CODE DWS NO. 647.3900 SCALE NONE SHEET 1 OF 12					
				ORIGINAL DATE 07-10-99 DRAWN BY D-BAKER CHECKED D-BAKER DRAWING APPROVAL P. MAYO 04/05 CONTRACT NO.					
				UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS ±.01 3 PLACE DECIMALS ±.005 ANGLES ±.5°					

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

.125 X 45.0° TYP

SECTION B-B

Ø.177 THRU 3PL

.266 X 17.9°

.045

.603

R.915

.923

2.110±.002

4.220±.002

DETAIL A

R.279
R3.406

15.896
15.304

15.046

B

B

Ø.189

6.446

40.2°

.312

0

18.502
18.127

35.8°

10.702
8.599

6.253

1.700
.777

0

.700
.340^{+0.000}
-.002
6 .346 MAX

DETAIL C

.035 X 45.0° TYP

.375

15.896

CF


647.3911

ORIGINAL DATE 01-10-01		APICAL INDUSTRIES	
DRAWN BY D. CHERRY		2608 TEMPLE HEIGHTS DR.	
CHECKED BY D. BARKER		OCEANSIDE, CA. 92056-3512 (760)724-5300	
DRAWING APPROVAL P. BRAVO		DEFLECTORS	
CORRECTION NO.			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS ±.01 3 PLACE DECIMALS ±.005 ANGLES ±.5°		SHEET 07M26	DWG. NO. 647.3900
SCALE NONE		SHEET 2 OF 12	


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

.125 X 44.9°


SECTION E-E



DETAIL D




DETAIL F




647.3910

ORIGINAL DATE: 08-10-89		APICAL INDUSTRIES	
DRAWN BY: D. SCHUB		2608 TEMPLE HEIGHTS DR.	
CHECKED BY: J. BARNER		OCEANSIDE, CA. 92056-3512 (760)724-5300	
DRAWING APPROVAL: P. BRAYO		DEFLECTORS	
CAGE CODE: 07N26		DWC. NO. 647.3900	
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES. TOLERANCES ARE: 3 PLACE DECIMALS ±.01, 2 PLACE DECIMALS ±.005, ANGLES ±.5°		SCALE: NONE	
		SHEET 3 OF 12	



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.




SECTION L-L




SECTION M-M




DETAIL H



DETAIL J




DETAIL K



DETAIL G



647.3912





ORIGINAL DATE: 01-10-09		APICAL INDUSTRIES	
DRAWN BY: J. SCHUB		2608 TEMPLE HEIGHTS DR.	
CHECKED BY: J. SCHUB		OCEANSIDE, CA. 92056-3512 (760)724-5300	
DRAWING APPROVAL: J. SCHUB		DEFLECTORS	
CORRECTED BY: J. SCHUB		SCALE: NONE	
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES		REV: C	
TOLERANCES ARE: 2 PLACE DECIMALS ± .01		SHEET 4 OF 12	
3 PLACE DECIMALS ± .005			
ANGLES ± 3°			



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

.180 X 45.0° TYP

SECTION N-N



647.3913




ORIGINAL DATE 09-10-09		APICAL INDUSTRIES	
DRAWN BY D. BARNER		2608 TEMPLE HEIGHTS DR.	
CHECKED BY P. BAIRD		OCEANSIDE, CA. 92056-3512 (760)724-5300	
DRAWING APPROVAL		DEFLECTORS	
CONTRACT NO.		647.3900	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 3 PLACE DECIMALS ±.01 2 PLACE DECIMALS ±.005 ANGLES ±.5°		SHEET B	REV C
CAGE CODE 07M16		SCALE NONE	
DWD. NO.		SHEET 5 OF 12	


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

.175 X 45.0° TYP



SECTION T-T



SECTION AB-AB




647.3914



ORIGINAL DATE (M/D/YR) 05-10-09		APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5300	
DRAWN BY D.SCHUR	CHECKED BY D.SCHUR		
DRAWING APPROVAL P. BRAYD 05-10-09		DEFLECTORS	
UNLESS OTHERWISE SPECIFIED (DIMENSIONS ARE IN INCHES) TOLERANCES ARE: 2 PLACE DECIMALS ±.01 3 PLACE DECIMALS ±.005 ANGLES ± .5°		SHEET NO. B 07M26	REV. C
DWG. NO. 647.3900		SCALE NONE	
		SHEET 6 OF 12	

1 2 3 4 5 6 7 8


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.




647.3903

ORIGINAL DATE 06-10-89		APICAL INDUSTRIES	
DESIGNED BY D.BARNES		2608 TEMPLE HEIGHTS DR.	
DRAWING APPROVAL D.BARNES		OCEANSIDE, CA. 92056-3512 (760)724-5300	
CONTRACT NO.		DEFLECTORS	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		REV. B	REV. C
TOLERANCES ARE: 2 PLACE DECIMALS ±.01 3 PLACE DECIMALS ±.005 ANGLES ± 3°		DWG. NO. 647.3900	
		SCALE NONE	SHEET 7 OF 12


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
APICAL INDUSTRIES ANY REPRODUCTION IN PART OR WHOLE WITHOUT
THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.




THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.




647.3915



DETAIL AM



SECTION AR-AR



DETAIL AN
R.0625 OR 45° CHAMFER X .0625
4 PL

ORIGINAL DATE 8-10-78		APICAL INDUSTRIES	
DESIGNED BY J. BAKER		2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5300	
DRAWING APPROVAL J. BAKER		DEFLECTORS	
CONTRACT NO.		REV B	REV C
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES FRACTIONS ARE 3 PLACE DECIMALS 1/16 10 PLACE DECIMALS 1/1000 ANGLES 1/2°		QWS. NO. 074426	647.3900
SCALE: NONE		SHEET 9 OF 12	

1 2 3 4 5 6 7 8

A

B


C

D

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.




4X $\phi .196 \pm .010$ THRU ALL
 $\checkmark \phi .385 \pm .020 \times 100^\circ \pm 1.000^\circ$




647.3915

ORIGINAL DATE 10-20-88		APICAL INDUSTRIES	
DRAWN BY D.BARKER		2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5300	
CHECKED BY D.BARKER		DEFLECTORS	
DRAWING APPROVAL P. BRADY		SER B	DWG. NO. 647.3900
CONTRACT NO.		SCALE NONE	REV. C
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 3 PLACE DECIMALS .001 2 PLACE DECIMALS .005 ANGLES $\pm .5^\circ$		SHEET 10 OF 12	

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.



647.3916



SECTION AT-AT

ORIGINAL DATE
DESIGNED BY
DRAWN BY
CHECKED BY
DRAWING APPROVAL
P. BAKER
CONTRACT NO.

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
FRACTIONS ARE 1/16
2 PLACE DECIMALS 1/32
3 PLACE DECIMALS 1/64
ANGLES ± .5°

APICAL INDUSTRIES
2608 TEMPLE HEIGHTS DR.
OCEANSIDE, CA. 92056-3512 (760)724-5300

DEFLECTORS

SHEET	CAGE CODE	DWG. NO.	REV.
B	07MA26	647.3900	C
SCALE NONE			SHEET 11 OF 12

1 2 3 4 5 6 7 8

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT
THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

R.250
4 PL

.625

0

.500

2.000

3.500


6.500

8.000

9.500

10.000

647.9317



Ø.196
6 PL

ORIGINAL DATE		APICAL INDUSTRIES	
REVISIONS		2608 TEMPLE HEIGHTS DR.	
DRAWN BY		OCEANSIDE, CA. 92056-3512 (760)724-5300	
CHECKED BY		DEFLECTORS	
DESIGNED BY		647.3900	
APPROVED BY		SCALE: NONE	
CORRECTION NO.		SHEET 12 OF 12	
UNLESS OTHERWISE SPECIFIED		DWN. NO.	
DIMENSIONS ARE IN INCHES		B 07/02/6	
TOLERANCES ARE:		C	
3 PLACES DECIMALS ±.01			
3 PLACES DECIMALS ±.005			
ANGLES 1°			



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER PO039040

Items										
Line Item	Job	Part	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
5	171201	647.3917	Doubler Issue P/O to ATG : HARD ANODIZE, COLOR BLACK, AND PRIME AS PER DWG 647.3900 REV. C	Firmed	2/21/18	8 pcs	0 pcs	8 pcs	\$8.01/pcs	\$64.08
6	171214	649.5213	Doubler ISSUE P/O: HARD ANODIZE, COLOR BLACK AS PER DWG (SEE NOTE 2)	Firmed	2/21/18	5 pcs	0 pcs	5 pcs	\$7.86/pcs	\$39.30
7	169390	647.7822	Eye Bolt Fitting RH Issue P/O to ATG : 1- Black Anodize as per Dwg 647.7800 Rev. A 2- PRIME AS PER DWG, SEE NOTE #2 Certification of Conformity is required	Firmed	2/21/18	15 pcs	0 pcs	15 pcs	\$10.41/pcs	\$156.15
8	170589	RBE350A94- 3701-00	Main Rotor Rigging Tool -Issue P/O to ATG : -ANODIZE COLOR BLACK, PER IAW MIL-A- 8625F TYPE 2 CLASS 2, Water sealant As per Dwg RBE350A94- 3701-00 Rev. 2A -Certificate of Conformity is required	Firmed	2/21/18	20 pcs	0 pcs	20 pcs	\$6.61/pcs	\$132.20
	171677			Firmed	2/21/18	2 pcs	0 pcs	2 pcs	\$6.61/pcs	\$13.22
Sub Total:						22	0	22		\$145.42
9	170065	RBT18713-1	Body -Issue P/O to ATG : PO -ANODIZE COLOR RED, PER IAW MIL-A-8625 TYPE-2 CLASS-2, Water sealant As Per Dwg RBT18713-1 Rev. 4 -Certificate of Conformity is required	Firmed	2/21/18	13 pcs	0 pcs	13 pcs	\$5.13/pcs	\$66.69
10	171523	RBWSI-HT- 12AS-1	Top -Issue P/O to ATG : PO -ANODIZE COLOR RED, PER IAW MIL-A-8625 TYPE-2 CLASS-2, Water sealant	Firmed	2/21/18	10 pcs	0 pcs	10 pcs	\$5.13/pcs	\$51.30



A.T.G. Industries Inc.
731 Industrielle Street
Rockland, ON K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 914686

Date: 28-Feb-18

To

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ship To

Diane Baker
Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ph: 613 632-9577

Fax: 613 632-1053

Ph: 613 632-9577

Fax: 613 632-1053

Ph: 613-632-9577 Fax: 613-632-1555		OUR TRUCK	
Terms		Ship Via	
		OUR TRUCK	
Quantity	Description		
	Please reference this document's Pack List number on all correspondences regarding this shipment. If you have any questions, please contact us.		
2 ea	Part: 649.5111 LH Wiper Deflector Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils) Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0006-.0009" (.6 - .9 mils) per drawing. Job: 22542		Rev: C PO: PO039040 Line: 1
2 ea	Part: 649.5112 RH Wiper Deflector Job: 22543		Rev: C PO: PO039040 Line: 2
10 ea	Part: 646.3012 Lower Guide Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils) Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0006-.0009" (.6 - .9 mils) per drawing. Job: 22544		Rev: NC PO: PO039040 Line: 3
14 ea	Part: 646.3312 Center Plate Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils) Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0006-.0009" (.6 - .9 mils) per drawing. Job: 22545		Rev: A PO: PO039040 Line: 4
8 ea	Part: 647.3917 Doubler Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils). Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0001-.0002" (.1 - .2 mils) per drawing. Job: 22546		Rev: C PO: PO039040 Line: 5
Made in Canada			



A.T.G. Industries Inc.
731 Industrielle Street
Rockland, ON K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 914686

Date: 28-Feb-18

To

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ship To

Diane Baker
Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ph: 613 632-9577

Fax: 613 632-1053

Ph: 613 632-9577

Fax: 613 632-1053

Terms		Ship Via	
		OUR TRUCK	
Quantity	Description	Rev: A	
6 ea	Part: 649.5213 Doubler Job: 22547	PO: PO039040	Line: 6
CERTIFICATE OF CONFORMANCE A.T.G Industries Inc. certifies that all items in this shipment conform to the requirements. Date: <u>28/2/18</u> Certified Signature: <u>[Signature]</u> Receiver Signature: _____ A.T.G Industries Inc. is AS9100 Registered and Nadcap Chemical Processing Accredited. Note: This Packing Slip may contain parts that have been PLATED. Items that are plated may be subject to natural tarnishing and it is suggested that they be inspected within 24 hours of receipt.			
Made in Canada.			